


Date: Tuesday, 11/03/2008 2:34:36 PM  
 User: Linda Lacelle

## Process Sheet

<b>Customer</b> : CU-DAR001 Dart Helicopters Services	<b>Drawing Name</b> : FLOOR PROCTOR FWD RH
<b>Job Number</b> : 37825	
<b>Estimate Number</b> : 11234	
<b>P.O. Number</b> :	<b>Part Number</b> : D32812
<b>This Issue</b> : 11/03/2008 <b>S.O. No.</b> :	<b>Drawing Number</b> : D3281 REV C
<b>Prsht Rev.</b> : NC	<b>Project Number</b> : N/A
<b>First Issue</b> : / / <b>Type</b> : THERMOFORMING	<b>Drawing Revision</b> : C
<b>Previous Run</b> : 37252	<b>Material</b> :
<b>Written By</b> : 	<b>Due Date</b> : 12/03/2008 <b>Qty:</b> 5 <b>Um:</b> Each
<b>Checked &amp; Approved By</b> :	
<b>Comment</b> : Est Rev:A 04.07.01 New issue KJ/JLM Est Rev B 07.08.07 Thermoform in house DL Est Rev C 08.02.06 To reflect updated dwg. DL	

## Additional Product

Job Number:



<b>Seq. #:</b>	<b>Machine Or Operation:</b>	<b>Description :</b>
----------------	------------------------------	----------------------

1.0	F6006 701	lexan black
-----	-----------	-------------



PTO →

**Comment:** Qty.: 4.0000 sf(s)/Unit Total : 20.0000 sf(s)  
 lexan black

M106751

2.0	HAND FINISH TH	HAND FINISHING THERMOFORMING
-----	----------------	------------------------------

**Comment:** HAND FINISHING THERMOFORMING

1) Cut Blanks

BB X5

08/03/11

3.0	THERMOFORMING	THERMOFORMING MACHINE
-----	---------------	-----------------------

**Comment:** THERMOFORMING MACHINE

Thermoform as per Dwg. D32811 and Folio FTA 008

Dwg. Rev. C  
 Folio Rev. B

BB X5

08/03/11

4.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--

**Comment:** INSPECT PARTS AS THEY COME OFF MACHINE

BB X5

08/03/11

5.0	HAND FINISH TH	HAND FINISHING THERMOFORMING
-----	----------------	------------------------------

**Comment:** HAND FINISHING THERMOFORMING

1) Trim to Finished Dimensions

Dk. 08.03.11

PTO →

(X4)

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
08.03.11	1	Material Change. to MLEXS 093 F6006 02. FROM MLEXS 025 F6006 7018	De	08.03.11	5	VE 08.03.12	08.03.12	

Part No: D3281-2 PAR #: N/A Fault Category: Prod / Thermforming NCR: (Yes) No DQA: D Date: 08/03/12  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR: 37825		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
08.03.12	5	TRIMMED WRONG. SLIPPED IN SAW.  R.C. Human error.	08/03/12	Scrap and <del>replace</del> <del>to extra on next two</del> 1 part.	08.03.12	08.03.12	08/03/12	08.03.12

NOTE: Date & initial all entries

Date: Tuesday, 11/03/2008 2:34:36 PM  
User: Linda Lacelle

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOOR PROCTOR FWD RH

Job Number: 37825

Part Number: D32812

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

1) Check Surface finish for undesired marks, voids, dimples etc.

2) Check dimensions to ensure conformity to drawing tolerances.

Dr. 08.03.11 (X8)

7.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

08-03-12 (5)

8.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

8/3/12 SW

(5X)

9.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

2008/03/10 (5)

Job Completion



U 08.03.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries

**RELEASED**  
07.11.06

**D3281-1 NOTES:**

- 1) THERMOFORM WITH MOLD D3281-1T1 PER DART QSI 022; TRIM AS SHOWN  
MINIMUM THICKNESS AFTER FORMING: 0.080" EXCEPT WHERE INDICATED
- 2) MATERIAL: LEXAN F6006, BLACK No. 701, 0.125" THICK  
(REF DART SPEC MLEXS.125-F6006-02)
- 3) FINISH: NONE
- 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: 0.010 MAX
- 7) IDENTIFICATION: IDENTIFY WITH DART P/N "D3281-1" ON SMOOTH SIDE OF PART USING WHITE PAINT MARKER
- 8) WEIGHT: 1 lb

**D3281-1 FLOOR PROTECTOR**



C	UPDATE DIMS TO MATCH PARTS; COLOUR 701 WAS 700; GENERAL UPDATE	LE	07.10.09
B	NOW LEXAN; DIMS AS MANUFACTURED	CP	05.11.25
A	NEW ISSUE	CP	04.05.03
REV.	DESCRIPTION	BY	DATE
DESIGN	90	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA  DRAWING NO. REV. C D3281 SHEET 1 OF 3 TITLE SCALE FLOOR PROTECTOR NTS  <small>COPYRIGHT © 2004 BY DART AEROSPACE LTD  THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  NOT TO BE USED FOR ANY PURPOSE, OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	
DRAWN	LE		
CHECKED	PA		
MFG. APPR.	WLS		
DE APPR.	TH		
DATE	07.10.09		

*W037825*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

TEXTURED SURFACE  
ON THIS SIDE



**RELEASED**  
07.11.06

# D3281-2 FLOOR PROTECTOR

## **D3281-2 NOTES:**

- 1) THERMOFORM WITH MOLD D3281-2T1 PER DART QSI 022; TRIM AS SHOWN  
MINIMUM THICKNESS AFTER FORMING: 0.080" EXCEPT WHERE INDICATED
- 2) MATERIAL: LEXAN F6006, BLACK No. 701, 0.125" THICK  
(REF DART SPEC MLEXS. 175-F6006-02)
- 3) FINISH: NONE
- 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: 0.010 MAX
- 7) IDENTIFICATION: IDENTIFY WITH DART P/N "D3281-2" ON SMOOTH SIDE OF PART USING WHITE PAINT MARKER
- 8) WEIGHT: 1 lb

DESIGN	90	<b>DART AEROSPACE LTD</b>	
DRAWN	LE	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AL	DRAWING NO.	REV. C
MFG. APPR.	AL	D3281	SHEET 2 OF 3
APPROVED	AL	TITLE	SCALE
DE APPR.	AL	FLOOR PROTECTOR	NTS
DATE	07.10.09	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED OR IN ANY MANNER OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries





RELEASED  
07.11.06

**D3281-3 FLOOR PROTECTOR  
(D3281-4 OPPOSITE)**

**D3281-3/4 NOTES:**

- 1) THERMOFORM WITH MOLD D3281-3T1 FOR D3281-3 AND D3281-4T1 FOR D3281-4 PER DART QSI 022; TRIM AS SHOWN  
MINIMUM THICKNESS AFTER FORMING: 0.080" EXCEPT WHERE INDICATED
- 2) MATERIAL: LEXAN F6006, BLACK No. 701, 0.125" THICK  
(REF DART SPEC MLEXS.125-F6006-02)
- 3) FINISH: NONE
- 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: 0.010 MAX
- 7) IDENTIFICATION: IDENTIFY WITH DART P/N "D3281-3/4" ON SMOOTH SIDE OF PART USING WHITE PAINT MARKER
- 8) WEIGHT: 1 lb

DESIGN	91	<b>DART AEROSPACE LTD</b>	
DRAWN	LE	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO.	REV. C
MFG. APPR.	WJ	D3281	SHEET 3 OF 3
APPROVED	JL	TITLE	SCALE
DE APPR.		FLOOR PROTECTOR	NTS
DATE	07.10.09	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

<b>DART AEROSPACE LTD</b>		<b>Work Order:</b> 37825
<b>Description:</b> Floor Protector, Fwd RH		<b>Part Number:</b> D3281-2
<b>Inspection Dwg:</b> D3281	<b>Rev:</b> C	<b>Page 1 of 1</b>

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

#### THERMOFORMING SECTION

Description	Accept	Reject	Method of Inspection	Comments
Inside Radii less than 0.1875" Go/No Go	✓		Gauge.	
Shape Definition	✓			
Texture Retention	✓			
Material imperfections such as bumps, cracks, voids, scratching	✓			

<b>Measured by:</b> <i>DL</i>	<b>Date:</b> 08.03.11
-------------------------------	-----------------------

#### TRIMMING SECTION

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
18.3	+/-0.100	18.25	✓			
17.4	+/-0.100	17.3	✓			
12.1	+/-0.100	12.05	✓			
0.95	+/-0.030	0.958	✓			
0.25	+/-0.030	0.255	✓			
0.030	Min	0.050	✓			
0.030	Min	0.062	✓			
0.080	+/-0.010	0.078	✓			

<b>Measured by:</b> <i>DL</i>	<b>Date:</b> 08.03.11
<b>Audited by:</b> <i>DL</i>	<b>Date:</b> 08/03/11
<b>Prototype Approval:</b> N/A	<b>Date:</b> N/A

Rev	Date	Change	Revised by	Approved
A	08.02.28	New Issue	KJ/DL	<i>DL</i>